

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (currently amended) A method comprising:

receiving, at a merge utility executing on a computer system, a first merge document that is in a merge format;

converting a second document from an original format to the merge format to create a second merge document;

wherein the second document was created by a first document authoring application;

wherein the second merge document is in the merge format;

wherein the step of converting is performed by either the merge utility or the first document authoring application;

using the merge utility executing on the computer system, merging the first merge document and the second merge document to generate a composite merge document; and

after generating the composite merge document, delivering said composite merge document to an output device;

wherein the output device is a device that is different from the computer system;

wherein the original format is a format that is not supported by the output device, and
therefore needs to be converted to another format that is supported by the
output device in order to be properly interpreted by the output device; and
wherein the merge format is a format that is supported by the output device, and
therefore does not need to be converted to another format that is supported by
the output device in order to be properly interpreted by the output device.

2. (original) The method of Claim 1 further comprising:

generating the first merge document in said merge format by converting a first
original document from an original format to the merge format.

3. (original) The method of Claim 1, wherein the merge format is Standard Printing and
Imaging Format (SPIF).

4. (original) The method of Claim 3, wherein the merge format is PDL Postscript.

5. (original) The method of Claim 1, wherein the first document is a background template
document and the second document is an overlay document.

6. (previously presented) The method of Claim 5,

wherein the background template document is originally created by a second
document authoring application; and

wherein the second document authoring application is different from said first
document authoring application.

7. (original) The method of Claim 5, wherein the background template document is created in a second original format and converted from the second original format to the merge format.

8. (previously presented) The method of claim 7, wherein the conversion of the second original document to the merge format occurs at the merge utility.

9. (previously presented) The method of Claim 1, wherein the converting of the second document from the original format to the merge format to create the second merge document includes:

generating, based on the original format, a set of conversion instructions to convert

the second document into said second merge document;

passing the set of conversion instructions from the merge utility to the first document

authoring application; and

the first document authoring application generating the second merge document based

on said set of conversion instructions.

10. (previously presented) The method of Claim 1, wherein the method further comprises receiving, at the merge utility, a request to merge documents, the request containing information about the first document authoring application, wherein the converting of the second document from the original format to the merge format to create the second merge document includes:

- generating, based on the information about the first document authoring application, a set of conversion instructions to convert the second document into said second merge document;
- passing the set of conversion instructions from the merge utility to the first document authoring application; and
- the first document authoring application generating the second merge document based on said set of conversion instructions.
11. (original) The method of Claim 1, wherein the composite merge document is in the merge format.
12. (original) The method of Claim 1, wherein the composite merge document is a template for creating other documents.
13. (currently amended) The method of Claim 1, further comprising:
- ~~performing the step of merging the first document and the second document in~~
response to receiving, at the merge utility, a request to merge documents;
wherein the steps of converting the second document and merging the first merge
document and the second merge document are both performed in response to
the merge utility receiving the request to merge documents.
14. (previously presented) The method of Claim 1 further comprising:
- receiving, at the merge utility, a request to merge documents;
- generating the first merge document in said merge format by converting a first original document from an original format to the merge format;
- wherein the merge format is Standard Printing and Imaging Format (SPIF);

wherein the first document is a background template document and the second document is an overlay document;

wherein the background template document is originally created by a second document authoring application; and

wherein the second document authoring application is different from said first document authoring application;

wherein the background template document is created in a second original format and converted from the second original format to the merge format.

15. (previously presented) A machine-readable storage medium storing one or more sequences of instructions, which when executed by one or more processors, causes the one or more processors to perform the method recited in Claim 1.

16. (previously presented) A machine-readable storage medium storing one or more sequences of instructions, which when executed by one or more processors, causes the one or more processors to perform the method recited in Claim 2.

17. (previously presented) A machine-readable storage medium storing one or more sequences of instructions, which when executed by one or more processors, causes the one or more processors to perform the method recited in Claim 3.

18. (previously presented) A machine-readable storage medium storing one or more sequences of instructions, which when executed by one or more processors, causes the one or more processors to perform the method recited in Claim 4.

19. (previously presented) A machine-readable storage medium storing one or more sequences of instructions, which when executed by one or more processors, causes the one or more processors to perform the method recited in Claim 5.

20. (previously presented) A machine-readable storage medium storing one or more sequences of instructions, which when executed by one or more processors, causes the one or more processors to perform the method recited in Claim 6.

21. (previously presented) A machine-readable storage medium storing one or more sequences of instructions, which when executed by one or more processors, causes the one or more processors to perform the method recited in Claim 7.

22. (previously presented) A machine-readable storage medium storing one or more sequences of instructions, which when executed by one or more processors, causes the one or more processors to perform the method recited in Claim 8.

23. (previously presented) A machine-readable storage medium storing one or more sequences of instructions, which when executed by one or more processors, causes the one or more processors to perform the method recited in Claim 9.

24. (previously presented) A machine-readable storage medium storing one or more sequences of instructions, which when executed by one or more processors, causes the one or more processors to perform the method recited in Claim 10.

25. (previously presented) A machine-readable storage medium storing one or more sequences of instructions, which when executed by one or more processors, causes the one or more processors to perform the method recited in Claim 11.

26. (previously presented) A machine-readable storage medium storing one or more sequences of instructions, which when executed by one or more processors, causes the one or more processors to perform the method recited in Claim 12.

27. (previously presented) A machine-readable storage medium storing one or more sequences of instructions, which when executed by one or more processors, causes the one or more processors to perform the method recited in Claim 13.

28. (previously presented) A machine-readable storage medium storing one or more sequences of instructions, which when executed by one or more processors, causes the one or more processors to perform the method recited in Claim 14.